
Fabrics Designed by Jane Davies



A Free Pattern Sheet From



Finished Quilt Size: 70" x 90" 49 West 37th Street, New York, NY 10018 tel: 212-686-5194 fax: 212-532-3525 Toll Free: 800-294-9495 www.henryglassfabrics.com

Quilt Designed By: Cate Tallman-Evans

Finished Quilt Size: 70" x 90"

## Fabrics in the Collection



5710-86 Trucks




5711-11 Light Blue Cars



5711-77 Royal Blue Cars



5711-88 Red Cars




5712-77 Royal Blue Stripe




5712-88 Red Stripe



5713-46 Yellow Dot



5713-74 Royal Blue Dot



5713-87 Red Dot



5714-11 Light Blue Numbers




5714-44 Yellow Numbers



5714-66 Green Numbers



5715-66 Green Check



5715-77 Royal Blue Check



5715-88 Red Check

Materials		
5710-86	Trucks Print	1 yard
5711-11	Light Blue Cars	½ yard
5711-77	Royal Blue Cars	1 ½ yard
5711-88	Red Cars	5⁄8 yard
5712-77	Royal Blue Stripe	¾ yard
/	(includes binding)	
5712-88	Red Stripe	5⁄8 yard
5713-46	Yellow Dot	½ yard
5713-74	Royal Blue Dot	3∕8 yard
5713-87	<del>Red</del> Pot	¾ yard
5714-11	Light Blue Numbers	⅓ yard
5714-44	Yellow Numbers	½ yard
5714-66	Green Numbers	½ yard
5715-66	Green Check	⅓ yard
5715-77	Royal Blue Check	¾ yard
5715-88	Red Check	¾ yard
442-11	Green Crush	½ yard
442-333	Orange Crush	½ yard
442-433	Gold Crush	½ yard
442-450	Red Crush	½ yard
442-757	Blue Crush	½ yard
442-999	Black Crush	1 ¾ yard
5457-01w	White Tonal	¾ yard
5710-86	Trucks Print	5 ¾ yard
	(for quilt backing)	
Template Plastic		
2 yards of double-sided, lightweight, fusible webbing		
Threads to match appliqués		
Prepare the Appliqués		
Pronare the	Anniigie	١

## Prepare the Appliqués


Make paper patterns for all applique shapes. To prepare the paper patterns you will need to either enlarge the patterns on this page 400% at a copy shop set up to handle large format paper **OR** download full sike patterns at www.henryglassfabrics.com If choosing the latter option, use newsprint or other large paper to make full patterns for those that have an overlap marked on the full size pattern. Using template plastic and the prepared paper patterns, make templates for each shape. Note that the templates do not include seam allowance. Flip the template upside down and trace a total of (5) vehicle shapes, (10) tire shapes, and (10) wheel spoke shapes onto the paper side of the fusible webbing, leaving 1/2" margin between shapes. Cut out each traced shape 1/4" beyond the traced lines. Following the manufacturer's instructions, fuse the traced shapes to the wrong side of the appliqué fabrics using the quilt pictured on the cover as a guide to correct fabric selection. Cut out each shape on the marked lines.

#### **Cutting Instructions**

Please note: all strips are cut across the width of the fabric from selvage edge to selvage edge.

#### From the trucks print, cut:

- (1) 29" strip. Recut into (1) 12 ½" wide x 29" piece. From the light blue cars, cut:
  - (1) 12 ½" strip. Recut inito (1) 12 ½" x 15 ½" piece.



## **Sewing Instructions**

All seams are sewn using 1/4" seam allowance with pieces held right sides together and raw edges even.

1. Sewing lengthwise, sew 2 3%" black crush strips to each long side of a 1 1%" white tonal strip to make a 5" high strip set. Repeat to make a total of (8) strip sets. From these strip sets cut the following lengths: (1)  $24 \frac{1}{2}$ ", (1)  $21 \frac{1}{2}$ ", (1)  $20 \frac{1}{2}$ ", (1)  $15 \frac{1}{2}$ ", (3) 14", (4)  $12 \frac{1}{2}$ ", (1)  $11 \frac{1}{2}$ ", (3)  $9 \frac{1}{2}$ ", (1) 7", (1)  $6 \frac{1}{2}$ ", (5) 5", and (8)  $2 \frac{3}{8}$ ".



2. Stitch 2 %" wide segments from step 1 to opposite sides of a 1 %" x 5" white tonal piece to make (1) intersection block.




3. Sewing lengthwise, join a  $2 \frac{3}{8}$ " black crush strip to a  $1 \frac{14}{4}$ " white tonal strip to make a  $3 \frac{1}{8}$ " high strip set. Repeat to make a total of (2) strip sets. Cut these strip sets into (6) 5" and (7)  $2 \frac{3}{8}$ " segments.

## **Sewing Instructions (cont.)**

4. Sew a 5" wide segment from step 3 to a 2 3%" segment from step 1 to make (1) "T" intersection block. Repeat to make a total of (6) blocks.

5. Add the following pieces in order to a  $2\frac{3}{8}$ " segment from step 3 to make (1) corner block as shown:  $1\frac{1}{4}$ " x  $3\frac{1}{8}$ " white tonal piece,  $2\frac{3}{8}$ " x  $3\frac{1}{8}$ " black crush piece,  $2\frac{3}{8}$ " x 5" black crush piece. Repeat to make a total of (7) corner blocks.




6. Repeat the procedure from step 1 to make a strip set using the 1 ½" white tonal and 3" black crush strips. Cut this strip set into (8 3" wide segments. Repeating the procedure from step 2, stitch (2) of these segments to opposite sides of a 1 ½" x 6 ½" white tonal piece to make (1) intersection block for the outer border. Repeat to make a total of (4) blocks.

#### **Assemble the Sections**

Please note: the center of the quilt top is assembled in (3) vertical sections. Note the orientation of each corner and "T" block when assembling the larger sections of "road".

#### Section 1:

- 1. Referring to the Quilt Assembly Diagram below, sew a 5" road block to the left side of the 5" x 14" green check piece. Sew corner blocks to opposite sides of a 9  $\frac{1}{2}$ " road section. Sew this unit to the bottom of the green check unit.
- 2. Sew a 12  $\frac{1}{2}$ " road section to a short side of the 12  $\frac{1}{2}$ " x 14" red cars piece. Sew a 14" road section to the left side of the intersection block. Add this unit to the bottom of the red cars section.
- 3. Sew a 20" road section to the right side of the 14" x 20" green numbers piece. Sew a 14" road section to the left side of a "T" block. Sew this unit to the bottom of the green numbers section.



- 4. Stitch the 9 ½" x 14" blue check piece and a 14" road section to opposite long sides of the 11 ½" x 14" yellow numbers piece. Stitch together: (1) "T" block, (1) corner block, (1) 5" road section and (1) 11 ½" road section. Sew this unit to the right side of the blue check/ yellow numbers unit.
- 5. Assemble the units from steps 1-4 to complete Section 1.

#### Section (

- 1. Sew the 12  $\frac{1}{2}$ " yellow numbers square and a 12  $\frac{1}{2}$ " road section to opposite long sides of the 9  $\frac{1}{2}$ " x 12  $\frac{1}{2}$ " blue dot piece. Stitch the 12  $\frac{1}{2}$ " x 29  $\frac{1}{2}$ " trucks print piece to the bottom of this unit.
- 2. Sew a 12 ½" road section and the 7" x 12 ½" red dot piece to opposite long sides of the 9 ½" x 12 ½" blue numbers piece. Stitch this unit to the bottom of the unit from step 1 to complete Section 2.

#### Section 3

- 1. Sew a 12 ½" road section to a short side of the 12 ½" x 15 ½" light blue cars piece.
- 2. Sew the 9  $\frac{1}{2}$ " blue check square to a short side of the 9  $\frac{1}{2}$ " x 15  $\frac{1}{2}$ " green numbers piece. Sew the 24  $\frac{1}{2}$ " road section to the left side of this unit.
- 3. Sew corner blocks to opposite sides of a 5" road section. Stitch this unit to the top of the green numbers unit from step 2. Sew the  $6\frac{1}{2}$ " x 29" red check piece to the left side of the green numbers unit.
- 4. Sew the red check unit from step 3 to the bottom of the light blue cars unit from step 1. Stitch  $21 \frac{1}{2}$ " and  $15 \frac{1}{2}$ " road sections to opposite sides of a "T" block. Stitch this unit to the left side of the red check/blue cars unit.
- 5. Stitch (2) "T" blocks to opposite sides of a 6  $\frac{1}{2}$ " road section. Stitch a 9  $\frac{1}{2}$ " road section to the right side of this unit. Sew this pieced road unit to the bottom of the red check/blue cars unit from step 4.
- 6. Sew 5" and 9 ½" road sections to opposite sides of a "T" block. Stitch this unit to the left side of the 18 ½" x 20" red cars piece.


  7. Sew a 5" road section to a corner block. Sew this unit to the top of the 7" x 9 ½" red dot piece. Sew a 7" road section to a corner block. Sew the red dot unit to the left side of the pieced road unit. Sew the 11" x 11 ½" yellow dot piece to the right side of the pieced road unit.


  8. Join the units from steps 5-7 to complete Section 3.

### **Quilt Assembly**


- 1. Stitch together the three sections of the quilt to complete the quilt center.
- 2. Trim the selvages from the 2 ½" red stripe strips and sew the strips end to end to make a long 2 ½" strip. From this long strip, cut (2) 74 ½" and (2) 58 ½" lengths (if your measurements are different, cut to fit your quilt top). Sew the longer pieces to the right and left sides of the quilt top. Sew the shorter pieces to the top and bottom.
- 3. Trim the selvages from the 6 ½" royal blue cars strips and sew the strips end to end to make a long 6 ½" strip. From this long strip, cut (2) 78 ½" and (2) 58 ½" lengths (if your measurements are different, cut to fit your quilt top). Sew the longer pieces to the right and left sides of the quilt top. Sew a larger intersection block to each end of each of the shorter lengths. Sew these pieced borders to the top and bottom to complete the quilt top.
- 4. Layer the completed quilt with batting and backing and quilt as desired.
- 5. Trim the batting and backing even with the outer edge of the quilt top and bind using the  $2 \frac{1}{4}$ " blue stripe strips.


©2011 Henry Glass & Co.








Templates shown at full size. Be sure "do not scale" button is selected during printing.













Sandbox Prints Template Page 7 Pickup Truck





Templates shown at full size. Be sure "do not scale" button is selected during printing.



Templates shown at full size. Be sure "do not scale" button is selected during printing.